Notice of Allowability	Application No.	Applicant(s)	
	10/823,349	RONDEAU ET AL.	
	Examiner	Art Unit	
	Thong Q. Nguyen	2872	
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT REPORTED OF THE OFFICE OF AUTOMOTION OF THE OFFICE OF ALLOWABILITY IS NOT A GRANT OF PATENT REPORTED OF THE OFFICE	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS	
1. \boxtimes This communication is responsive to <u>the amendment of 11</u>	<u>//20/06</u> .		
2. X The allowed claim(s) is/are <u>1-16</u> .			
3. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have	e been received.		
2. Certified copies of the priority documents have	· · · —		
3. Copies of the certified copies of the priority do	cuments have been received in this	national stage application from the	
International Bureau (PCT Rule 17.2(a)).	•		
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements	
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) ☐ including changes required by the Notice of Draftspers		948) attached	
1) hereto or 2) to Paper No./Mail Date	;		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the C	Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawing to 37 CFR 1.121(ngs in the front (not the back) of d).	
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 	sit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	nust be submitted. Note the AL MATERIAL.	
		•	
·		•	
Attachment(s)	_		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• •	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No./Mail Da	6. ☐ Interview Summary (PTO-413), Paper No./Mail Date 7. ☐ Examiner's Amendment/Comment	
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date A Townsied Occupant Bounding Regularization Report for Regularization and Company (Inc.).	-	Λ /	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 		aftrof Reasons for Allowance	
		THONG NGUYEN PRIMARY EXAMINER	

Application/Control Number: 10/823,349 Page 2

Art Unit: 2872

DETAILED ACTION

Response to Amendment

1. The present Office action is made in response to the amendment filed on 11/20/2006. It is noted that in the amendment, applicant has made changes to the specification and the claims. Regarding to the claims, applicant has canceled claim 17. There is not any claim being added. The remaining claims 1-16 are examined in this Office action.

Specification

2. The lengthy specification which was amended by the amendment of 11/20/06 has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Allowable Subject Matter

- 3. Claims 1-16 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

The stage assembly as recited in each of independent claims 1 and 11, and the method for focusing of an image with an optical microscope by such a stage assembly as recited in the independent claim 7 are patentable with respect to the prior art, in particular, the U.S. Patent Nos. 6,229,607; 5,812,310 and 6,781,753 by the limitations related to the structure of the stage assembly. It is noted that the use of a stage assembly having three frames each has an opening and each is movable is disclosed in the art as can be seen in each of the mentioned Patents; however, the prior art does not

Art Unit: 2872

disclose a stage assembly having the following claimed features: a XY plate assembly having a X-axis plate operable for rectilinear sliding in a X-axis direction and a Y-axis plate operable for rectilinear sliding in a Y-axis direction; a Z-axis plate mounted on the XY plate assembly for configured to carry a sample; a piezo actuator mechanism interposed between the XY plate assembly and the Z-axis plate operable for rectilinear translation of the Z-axis plate wherein each of the X-axis, Y-axis and Z-axis plates has an internal opening configured to allow passage of transmitted light and viewing of the sample by the objective lens of the microscope.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thong Q. Nguyen whose telephone number is (571) 272-2316. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew A. Dunn can be reached on (571) 272-2312. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/823,349

Art Unit: 2872

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA)

Thomg Q Nguyen Primary Examiner Art Unit 2872
